



10 Series Western Star 47x STE11692 Specs

Body Construction

- 10 ga galvanized body, 14' LG
- 22" D side packs
- 54" W cargo floor
- 62" T DS & PS compartments
- Tie-down rings on cargo area walls: Qty 6
- Aluminum bonded doors w/ full-length piano-style hinges
- Automotive-style weatherstripping
- Ergonomic overmolded three-point compression door latches
- Aluminum drip rail over compartment doors
- Keyless entry on all compartment doors
- Gang locks on DS & PS

Electrical & Lighting

- LED S/T/T light package
- Flush-mounted in bumper & light bar
- LED compartment lights
- LED Rigid 115° scene lights: Qty 12
- Compartment strip lighting on doors
- Backup camera
- Star Warning Systems emergency lights: Qty 8
- Star Safety Technologies by Grote 1550LED-TOW-TX Phazer Lightbar
- 115V outlets: Qty 4

Summit 12629 Hydraulic Telescopic Crane

- Capacity rating: 12,000 lbs. @ 5'
- Planetary winch @ 60' per minute
- Auto-release stow hook
- Boom support & hook anchor
- Proportional hydraulic system
- 32 gal hydraulic reservoir
- ASE Phase 4 control system
- Control and monitor crane, outriggers, PTO, engine, air compressor & lights.
- Dual extend hydraulic rear outrigger

Summit Drawer Systems

- Aluminum Combo Drawer Pack
 - Drawer Pack PN: TDRSA-52T-30L-03-02-01-22R-00-01-03
 - 52" W x 18" D overall
 - Top: 52" W x 18"D
 - One 5" D full-width top drawer
 - Left side: 30" W x 18" D
 - Three 3" drawers
 - Two 5" drawers
 - One 7" drawer
 - Right side: 22" D x 18" D
 - One 5" drawer
 - Three 7" drawers
 - The top shelf spans the full width of the compartment
- Aluminum Drawer Pack
 - Drawer Pack PN: DRSA-36W-04-04-01-18D
 - 36" W x 18" D
 - Four - 3" drawers
 - Four - 5" drawers
 - One - 7" drawer
 - Integrated top shelf with dividers
- Aluminum Bolt Bin
 - Bolt Bin PN: PBA-21 7W x 3H
 - 21 bins 7 W by 3 T
 - Bolt bin cabinet doors

Additional Features

- Oversized 20 Series headache rack
- 30" PS side step bumper
 - Grab handle
 - Bumper belt step
 - 2 ½" receiver tube
 - DS slide-out drawer
 - Glad hands
- 12" H aluminum tailgate
- E-track in the cargo area
- Bolt-in bulkhead
- Hose retainer
- J-hooks: Qty 5
- Wilton 1765 vise

- Outrigger pads w/underbody storage
- Aluminum shelves w/dividers
- Torch bottle retainer w/ratchet straps
- Used filter storage
- Hannay Reels spring rewind reel w/1/2" x 50' air hose & FRL
- Slide-out Reel Rack
 - AlumaReel extension cord reel
 - AlumaReel welding lead reel
 - AlumaReel torch hose reel

Miller EnPak® A60GBHW All-in-one Solution

- Kubota 24.8 hp diesel engine
- Control Panels: User interface, weld output, aux power, battery charge/crank assist
- Rotary screw air compressor
 - 60 CFM @ 175 psi, 100% duty cycle
 - 15-gal air storage tank
- Generator: 7000W continuous power
 - 120V outlets: Qty 2
 - 240V outlet
- Battery charger/crank assist: 12/24V
 - 150A charge
 - 300A battery boost
 - Battery booster cable set
- Hydraulic pump: Casappa variable-displacement pump
 - 8-16 gpm 3500 psi max, open center
- Welder
 - 325A Multiprocess weld capabilities
 - 100% duty cycle
 - DC stick: 30–325A DC
 - TIG: 20–325A
 - MIG/flux-cored: 15–40V
 - 50' of 1/0 hot & ground leads
 - quick disconnects
 - 300A ground clamps & electrode holder
- 20-gal hydraulic reservoir

Lube Systems

Air-driven Used Oil Evacuation System

- 100 gal steel tank
- Samson 1" diaphragm pump
- Samson directional valve
- Overfill prevention switch
- Hannay Reels air rewind reel w/1" x 30' suction hose
 - 30" suction wand

Air-driven New Oil System

- 100 ga common shell split steel tank, 50 gal each
- Rochester tank level gauge
- Graco 5:1 product delivery pumps: Qty 2
- Hannay Reels spring rewind reel w/ ½" x 35' hose: Qty 2
- Graco EM8 metered nozzle: Qty 2

Paint & Finishes

- PPG Paint: White
 - Crane, body exterior and compartment interior
- Vortex Protective Coating
 - Cargo area, rear bumper & outriggers
 - Fronts, tops, the rear, & lower edge of side packs
 - Wheel well reinforcement
 - Belt step and grab handles
- Graphics Package
 - Designed & installed by Yellow Frog Graphics

Chassis Specifications

- 2026 Western Star 47X 4x2
- GVWR: 33,000 lbs
- Engine: Cummins® ISL-9
- HP: 370
- Transmission: Allison® 3000 Rugged Duty Series™
- CA: 128"
- 36" Low Roof Sleeper
- X Series Premium Interior
-