



**Custom 10 Series
Linde-Griffith Construction Co
STE12123**

Body Construction

- 10 ga galvanized steel body 17.5' LG
 - Includes 42" PS welder deck
- 22" D side packs
- 54" W cargo floor
- Tie-down rings on cargo area walls: Qty 6
- 62" H DS and P2-P4 compartments
- 50" H P5 & P6 compartments
- Aluminum bonded doors with full-length piano-style hinges
- Automotive-style weatherstripping
- Ergonomic overmolded three-point compression door latches
- Aluminum drip rail over compartment doors
- Keyless entry on all compartment doors
- Storage Compartment Boxes: Qty 4
 - 40" W x 26" H x 22" D
 - barn-style doors opening into the cargo area
 - Adjustable shelf with dividers

Summit Drawer Systems

Aluminum Drawer Pack Bolt Bin Combo

- Drawer Pack PN: DRSA-36W-02-04-01-18D
- 36" W x 18" D
 - Two - 3" drawers

- Four - 5" drawers
- One - 7" drawer
- Integrated top shelf with dividers

Aluminum Bolt Bin

- Bolt Bin PN: XPBA-30-3Wx10H
 - 30 bins
 - 3 bins wide x 10 bins tall
- Bolt bin cabinet door.

Aluminum Drawer Pack Qty 2

Drawer Pack PN: DRSA-30W-05-02-02-18D

- 30" W x 18" D
 - Five - 3" drawers
 - Two - 5" drawers
 - Two - 7" drawers
- Integrated top shelf with dividers

Aluminum Drawer Package

Drawer Pack PN: DRSA-46W-02-02-01-18D

- 46" W x 18" D
 - Two - 3" drawers
 - Two - 5" drawers
 - One - 7" drawers
- Integrated top shelf with dividers

Aluminum Drawer Pack

Drawer Pack PN: DRSA-20W-05-02-02-18D

- 20" W x 18" D
 - Five - 3" drawers
 - Two - 5" drawers
 - Two - 7" drawers
- Integrated top shelf with dividers

Electrical & Lighting

- LED D S/T/T light package
 - Flush-mounted in bumper & light bar
 - Integrated backup alarm
- LED compartment lights
 - Includes the top fo DS side pack boxes
- Liberty 2 SX lightbar
- LED work lights: Qty 10
- Four-corner WigWag light system
- 3000W pure sine power inverter
 - 115V dual USB outlet
- Three camera system
 - Rear bumper, and top of DS & PS side packs
- Prodigy trailer brake control
- 24W rock light kit

Additional Features

- Standard headache rack
- 30" tool bumper
 - 3/8" flat bumper top with 1" overhang
 - 2.5" receiver tube
 - 7-way RV-style trailer plug
 - Grip strut bumper steps
 - Wide bumper belt steps: Qty 2
 - Glad hands
- Grab handles: Qty 2
- 12" H aluminum tailgate
- Hose retainer
- Rigging basket
- Wilton 1780XC vise
- Welder riser
- Lincoln Frontier 400X welder

- Hannay Reels manual rewind dual arc welding reel
 - 50' of 1/0 hot and ground leads
 - Electrode holder and ground clamps
- Graco Inc retractable electrical cord reel

Summit 12629 Hydraulic Crane

- Capacity rating: 12,000 lbs. @ 5 feet
- Proportional hydraulic system
- Planetary winch @ 60' per minute
- Auto-release stow hook
- Boom support & hook anchor
- Proportional hydraulic system
- ASE Phase 4 control system
 - Control and monitor crane, outriggers, PTO, engine, air compressor & lights.
- Full hydraulic dual extend outriggers

VMAC H60 Rotary Screw Air Compressor

- 40-60 CFM @ 100 psi (150 psi max)
- Direct-driven, 100% duty cycle, VMAC oil-injected rotary screw
- Hanney Reels spring rewind hose reel
 - 1/2" x 50' hose assembly
- 19 gal underbody air storage tank
- 32 gal hydraulic reservoir

Lube System

100 gal Diesel System

- 100 gal steel tank
 - Non-vented fill cap
 - Breather vent
 - 12V Fillrite pump

- Piusi 3-digit fuel meter
- Hannay Reels spring rewind hose reel
 - 3/4" x 25' fuel-rated hose assembly
- Big Mouth Nozzle

Paint & Finishes

- **PPG Paint Process**
 - PPG Paint: L0001 Black
 - Body exterior, crane, air compressor, welder, rear of side packs and bumper work surface
 - PPG Paint: White
 - Compartment interiors
- **Vortex Protective Coating**
 - Cargo area, bumper step, outriggers
 - Top, front and sidebacks, welder deck, rigging basket
 - Lower edge of the body and wheel well reinforcement
- **Rubberized Protective Coating**
 - Underside of the body

Chassis Specifications

- 2026 Kenworth T880
- GVWR: 41K
- Engine: Cummins X15
 - HP:500
- Transmission: Allison® 4500 Rugged Duty Series™
 - 6-spd automatic
- CA: 164"
- WB: 238 "