



**8 Series  
CONEXPO-CON/AGG  
STE12139**

### **Body Construction**

- 10 ga galvanized steel body, 11' LG.
- 22" D side packs
- 54" W cargo floor
- 62" H DS & P1-P2 compartments
- 50" H P3-P4 compartments
- Tie-down rings in the cargo area: Qty 6
- Aluminum bonded doors with full-length piano-style hinges
- Automotive-style weatherstripping
- Ergonomic overmolded three-point compression door latches
- Aluminum drip rail over compartment doors
- Keyless entry on all compartment doors

### **Summit Drawer Systems**

#### **Aluminum Combo Drawer Pack**

- Drawer Pack PN: TDRSA-48T-30L-04-02-01-18R-01-01-03-18D
  - 48" W x 18" D overall
  - Top: 48" W x 18" D overall
    - One - 5" full-width top drawer
  - Left Side: 30" W x 18" D
    - Four - 3" drawers
    - Two - 5" drawers
    - One - 7" drawer
  - Right Side: 18" W x 18" D
    - One - 3" drawer
    - One - 5" drawer

- Three - 7" drawers
- Full-width integrated top shelf

### **Aluminum Drawer Pack: Qty 2**

- Drawer Pack PN: DRSA-46W-02-01-00-18D-WT
- 46" W x 18" D overall
  - Two - 3" drawers
  - One - 5" drawer
- Pull-out sorting tray
- DS: Integrated top shelf with dividers
- PS: Flat top plate

### **Aluminum Bolt Bin**

- Bolt Bin PN: PBA-24 3W x 8H
- 24 bins
- 3 bins W x 8 bins H
- Bolt bin cabinet doors

### **Aluminum Drawer Pack**

- Drawer Pack PN: DRSAC-18W-03-00-00-14D
- 18" W x 14" D overall
  - Three - 3" drawers

### **Electrical Features**

- LED D S/T/T light package
  - Flush-mounted in bumper & light bar
  - Integrated backup alarm
- LED compartment lights
- LED rectangular work lights: Qty 4
- Aims Power 2000W power inverter
- Keyless entry on all compartment doors
  - Phase 5 alarm system
- Backup camera

### **Additional Features**

- Standard headache rack
- 30" PS side step tool bumper

- 2.5" receiver tube
- Bumper belt step
- Grab handle
- Illuminated side step
- Slide-out drawer for storage
- Grab Handle: rear of side pack
- 12" H aluminum tailgate
- Full-length riser on top of DS sidespack
- Hose retainer
- Bolt- In bulkhead
- J-hooks: Qty 2
- Aluminum shielding with dividers

### **Torch Storage Compartment**

- The front section has a reinforced floor, upper & lower vents
  - Torch bottle retainer with ratchet strap
- The rear section has unistrut & adjust. aluminum shelves: Qty 2
- Hannay Reels spring rewind torch reel

### **Summit 1229 Hydraulic Service Crane**

- Capacity rating: 12,000 lbs. @ 5 feet
- Planetary winch @ 60' per minute
- Fully proportional hydraulic system
- 32 gal hydraulic reservoir
- Auto-release stow hook
- Boom support and hook anchor
- ASE Phase 5 control system
- Full hydraulic outriggers

### **VMAC H40 Hydraulic Driven Rotary Screw Air Compressor**

- 40 CFM free air at 150 psig
- 9-14 gpm @ 2100 psi
- Hannay Reel spring rewind hose reel
- 1/2" x 50' hose assembly

- 19 gal ASME air storage tank

## **Paint & Finishes**

- **PPG Paint Process**

- PPG Paint: White
  - Body exterior and interior
- PPG Paint: Red
  - Grab handle, bumper belt step, drawer pack faces, work tray faces and bolt bin cabinet door
- PPG Paint: Black
  - Drawer pack handles

- **Vortex Protective Coating**

- Cargo area, rear bumper & outriggers
- Fronts, tops, the rear, & lower edge of side packs
- Wheel well reinforcement

- **Rubberized Protective Coating**

- Underside of the body

- **Graphics Package**

- Designed and installed by Yellow Frog Graphics

## **Chassis Specifications**

- 2026 Freightliner M2106+
- GVWR: 26K
- Engine: Cummins ISB 6.7
  - HP:300
- Transmission: Allison® 2500 Rugged Duty Series™
  - 6-spd automatic
- CA: 90"